
Amendments to the Claims:

This listing of the claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

- 1. to 28. (Canceled)
- 29. (Original) A polyester polyolefin composition represented by the formula



wherein each R^1 is independently selected from hydrogen and C_{1-8} alkyl radicals; R^2 is selected from hydrogen, methyl, ethyl, and vinyl radicals; x is an integer from about 3 to about 7; and n is an integer from 2 to about 15.

- 30. (Original) The composition of Claim 29 wherein each R¹ and R² is hydrogen, x is 7, and n is 3, and the composition consists essentially of the triglyceride ester of 9-decenoic acid.
- 31. (Original) A polyester polyepoxide composition represented by formula:

$$\begin{array}{c|c}
R^1 & & \\
C & & \\
C$$

wherein each R^1 is independently selected from hydrogen and C_{1-8} alkyl radicals; R^2 is selected from hydrogen, methyl, ethyl, and vinyl radicals; x is an integer from about 3 to about 7; and n is an integer from 2 to about 15.

32. (Original) The composition of Claim 31 wherein each R^1 and R^2 is hydrogen, x is 7, n is 3, and the composition consists essentially of the triglyceride ester of 9,10-epoxydecanoic acid.

33. to 36. (Canceled)

37. (Original) An α , ω -polyester polyol composition represented by formula:


$$R^{1} \longrightarrow \begin{bmatrix} R^{1} \\ C \\ \end{bmatrix}_{n} R^{1}$$

$$O - C - (CH_{2})_{x} - CH_{2} - CHR^{2} - CH_{2} - OH$$

$$O$$

wherein each R^1 is independently selected from hydrogen and C_{1-8} alkyl radicals; R^2 is selected from hydrogen, methyl, ethyl, and vinyl radicals; x is an integer from about 3 to about 7; and n is an integer from 2 to about 15.

- 38. (Original) The composition of Claim 37 wherein each R¹ and R² is hydrogen, x is 7, and n is 3; and the composition consists essentially of the triglyceride of 11-hydroxyundecanoic acid.
- 39. to 42. (Canceled)
- 43. (Original) An α,ω-polyester polyamine composition represented by formula:



wherein each R^1 is independently selected from hydrogen and C_{1-8} alkyl radicals; R^2 is selected from hydrogen, methyl, ethyl, and vinyl radicals; x is an integer from about 3 to about 7; and n is an integer from 2 to about 15.

44. (Original) The composition of Claim 43 wherein each R¹ and R² is hydrogen, x is 7, n is 3; and the composition consists essentially of the triglyceride of 11-aminoundecanoic acid.

45. to 51. (Canceled)